



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### KIT

Date of Issue: 28-02-2008

Updated: 25-04-2024

## 1. Identification of the substance/preparation and of the company

### 1.1 Product identifier:

Product name:

CA19-9 [I-125] IRMA KIT, coated tube

Product code:

RK-199CT

Kit components:

Tracer  
Calibrators  
Control sera  
Dilution serum  
Antiserum  
Wash buffer

**Additional product information:** This kit contains coated tubes that are considered articles and thereby those coated tubes are exempt from SDS requirements.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

Application of the substance/preparation: For In-vitro Diagnostic Use

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

Further information available from:

[www.izotop.hu](http://www.izotop.hu)

Email address of the competent person:

[immuno@izotop.hu](mailto:immuno@izotop.hu)

### 1.4 Emergency telephone number

Information in case of emergency:

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only  
from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



## 2. Transport information

According to ADR and IATA (Chapter 10.3.1) regulations, shipment below the exemption quantity (1 MBq for Iodine 125) are considered as not dangerous goods. If the shipment exceed this quantity, please refer to the information given below:

Shipping information	IATA	IMDG	US DOT	European ADR	Canadian TDG
14.1 UN/ID number	2910	2910	2910	2910	2910
14.2 UN proper shipping name	Radioactive Material, excepted package-limited quantity of material				
14.3 Transport hazardclass(es)	7 Radioactive Material	7 Radioactive Material	7 Radioactive Material	7 Radioactive Material	7 Radioactive Material
Subsidiary risk	None	None	None	None	None
Classification code	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4 Packing group					
Special provisions	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Additional information					
IATA ERG code	7L	Not applicable	Not applicable	Not applicable	Not applicable
EmS	Not applicable	F-I, S-S	Not applicable	Not applicable	Not applicable
NAERG code	Not applicable	Not applicable	161	Not applicable	161
14.5 Environmental hazards					
Marine pollutant	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.6 Special precautions for user	No special precautions for users are required.				



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### Tracer

#### 1. Identification of the substance/preparation and of the company

##### 1.1 Product identifier:

**Product name:** Tracer  
**Product code:** Components of RK-199CT  
**Product formal name:** Diagnostic reagents

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use**

**Application of the substance/preparation:** For In-vitro Diagnostic Use

##### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

##### Further information available from:

[www.izotop.hu](http://www.izotop.hu)

##### Email address of the competent person:

[immuno@izotop.hu](mailto:immuno@izotop.hu)

##### 1.4 Emergency telephone number

##### Information in case of emergency:

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only  
from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)

#### 2. Hazards identification:

##### 2.1 Classification of the substance or mixture

**Product description:** In vitro diagnostic reagent; Red, Liquid

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**

Not classified as hazardous per EC 1272/2008 [CLP].

Supplemental Labelling Information: Radioactive





INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 2.3 Other hazards

**Additional information:** Results of PBT and vPvB assessment:  
PBT: Not applicable.  
vPvB: Not applicable.

**Citric acid monohydrate:** This product contains Citric acid monohydrate. It May cause respiratory and eye irritation.

**Kathon CG:** is a mixture in the ratio 3:1 of 5-chloro-2methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone; CMI) and 2-methyl-4-isothiazolin-3-one (Methylisothiazolinone; MI). This is a toxic substance. Avoid contact with components, which contain Kathon CG, and do not ingest.

**Ethylenediaminetetraacetic acid disodium salt dihydrate:** It may cause damage to organs (Respiratory Tract).

**Biologically derived materials:** This product contains animal biologically derived materials and should be considered as potentially capable of transmitting infectious diseases.


**Radioactive component - Iodine 125:** Iodine-125 is a gamma-rays and X-rays emitter. Radiation can be protected by 1mm of lead. Half-life: 60.2 days.

*See Section 11 Toxicological Information for more detailed health information.*

### 3. Composition / Information on ingredients:

#### 3.2 Mixtures

##### Hazardous ingredient(s):

International chemical identification	CAS #	EC no	
Citric acid monohydrate	5949-29-1	201-069-1	
(< 2 % by wt)	<b>Classification</b>		<b>Labelling</b>
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>
	Eye Irrit. 2	H319	-
	STOT SE 3	H335	
	<b>Signal words</b>		<b>Pictogram(s)</b>
	Warning		 Irritant





##### Hazard statements:

H319 Causes serious eye irritation  
 H335 May cause respiratory irritation

##### Precautionary statements:

P261 Avoid breathing dust.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear eye protection/ face protection.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements: none

<b>International chemical identification</b>	<b>CAS #</b>	<b>EC no</b>				
<b>Kathon CG</b>	55965-84-9	-				
<b>Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)</b>						
	<b>Classification</b>		<b>Labelling</b>			
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>		
	Acute tox. 3	H301		GHS06 GHS07 GHS09 GHS05Dgr		
	Acute tox. 3	H311				
	Skin Corr. 1B	H314				
	Skin Irrit. 2	H315				
	Skin Sens. 1	H317				
	Eye Irrit. 2	H319				
	Acute Tox. 3	H331				
	Aquatic Acute 1	H400				
	Aquatic Chronic 1	H410				
	<b>Signal words</b>		<b>Pictogram(s)</b>			
	Danger					
			<b>Skull and crossbones</b>	<b>Irritant</b>	<b>Environment</b>	<b>Corrosion</b>



### Hazardous statements:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



**Precautionary statements:**

- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Supplemental Hazard Statements: none

International chemical identification	CAS #		EC no	
Ethylenediaminetetraacetic acid disodium salt dihydrate	6381-92-6		205-358-3	
	Classification		Labelling	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>
	Acute tox. 4	H332		GHS07
	STOT SE 2	H373		GHS08
	Signal words		Pictogram(s)	
	Danger			
			Harmful	Health hazard

**Hazardous statements:**

- H332 Harmful if inhaled.  
 H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

**Precautionary statements:**

- P260 Do not breathe dust.  
 P271 Use only outdoors or in a well-ventilated area.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.



---

P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements: none

## 4. First Aid:

### 4.1 Description of first aid measures

**After inhalation:** Remove victim to fresh air. If breath laboured, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.

**After eye contact:** If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. Immediately call in ophthalmologist. Remove contact lenses.

**After skin contact:** In case of skin contact, remove any contaminated clothing. Wash affected area with plenty of soap and water for at least 15 minutes. If pain or irritation occur, obtain medical attention.

**After swallowing:** After swallowing: immediately make victim drink water (two glasses at most). Avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. Consult a physician.

**General information:** If ingested, or in case of feeling unwell, seek medical advice urgently.

### 4.2 Most important symptoms and effects, both acute and delayed

No adverse symptoms or effects have been identified.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. Fire extinguishing measures:

**5.1 Extinguishing media:** In case of fire use carbon dioxide (CO<sub>2</sub>), dry chemical, water spray or foam. For large fires use extinguishing media suitable for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

**Special fire and explosion hazards:** No special hazards determined.

**Hazardous combustion products:** No combustion products posing significant hazards are expected from this product (an aqueous solution).

**5.3 Advice for firefighters:** Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

**5.4 Additional information:** No further relevant information available.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## 6. Accidental release measures:

### 6.1 Personal precaution, protective equipment and emergency procedures

**Personal Precautions:** This product contains a material of animal origin. Observe general safety guidelines for protection during clean up procedures. Wear protective gloves, protective clothing and eye/face protection.

### 6.2 Environmental Precautions

Contain spill to prevent migration. Place absorbed material in container suitable for disposal. Do not allow the undiluted product to enter sewers/surface or ground water. Dispose of all waste material in accordance with local and facility guidelines.

### 6.3 Methods and material for containment and cleaning-up

**Spill and Leak Procedures:** As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Dispose of all waste material in accordance with local guidelines.

### 6.4 Reference to other sections

Refer sections 8 and 13.

## 7. Handling and storage:

**7.1 Precautions for safe handling:** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product. Wear suitable personal protective equipment. Avoid splashing. Use the reagent in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or apply cosmetics in laboratory areas.

**7.2 Conditions for safe storage, including any incompatibilities:** Store at 2 to 8°C, as directed on the product label. To maintain product quality, store according to the instructions in the product labeling. Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10). No metal containers.

**7.3 Specific end uses:** No further relevant information available.



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



## 8. Exposure controls/personal protection:

### 8.1 Control parameters:

**Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	inhalation	Local effects	3 mg/m <sup>3</sup>
Worker DNEL, longterm	inhalation	Local effects	1,5 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	Local effects	1,2 mg/m <sup>3</sup>
Consumer DNEL, longterm	inhalation	Local effects	0,6 mg/m <sup>3</sup>
Consumer DNEL, longterm	oral	Systemic effects	-

Fresh water: 2,2 mg/l

Sea water: 0,22 mg/l

Aquatic intermittent release: 1,2 mg/l

Sewage treatment plant: 43 mg/l

Soil: 0,72 mg/kg

### 8.2 Exposure controls

<b>Engineering Controls</b>	No special engineering controls are required. Use with good general ventilation.
<b>Eye Protection</b>	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
<b>Skin Protection</b>	Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin contact. Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate government standards.
<b>Respiratory Protection</b>	Under normal conditions, the use of this product should not require respiratory protection.

## 9. Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Transparency</b>	clear
<b>Colour</b>	red	<b>Decomposition Temperature</b>	not applicable
<b>Odour</b>	odourless	<b>pH</b>	2.5 – 3.5
<b>Freezing point</b>	0 °C	<b>Kinematic viscosity</b>	not determined
<b>Boiling point</b>	100 °C	<b>Solubility in water</b>	complete
<b>Flammability</b>	not applicable	<b>Solubility in organic</b>	not determined
<b>Lower and upper explosion limit</b>	not applicable	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Flash Point</b>	not applicable	<b>Vapour pressure</b>	not applicable
<b>Autoignition Temp.</b>	not applicable	<b>Density and/or relative density</b>	1.00 @20°C

### 9.2 Other information:

No further relevant information available.

## 10. Stability and reactivity:

### 10.1 Reactivity:

No data available.

### 10.2 Chemical Stability:

This product is stable in accordance with recommended storage conditions.

### 10.3 Possibility of hazardous reactions:

No data available.

### 10.4 Conditions to avoid:

Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.

### 10.5 Incompatible materials:

Strong oxidizing agents, Amines, Reducing agents, Mercaptans, Strong oxidizing agents, Metals.

### 10.6 Hazardous decomposition products:

No decomposition products posing significant hazards would be expected from these product (aqueous solutions).



INSTITUTE OF ISOTOPE CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 11. Toxicological information:

### 11.1 Information on hazard classes

#### Toxicity data for hazardous ingredients - Citric acid monohydrate (CAS # 5949-29-1):

##### Acute toxicity:

LD50 Oral - Mouse - male and female - 5.400 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

LD50 Oral - Rat - male - 11.700 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

Symptoms: In high doses:, Irritation of mucous membranes, Pain, Bloody vomiting

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Remarks: (anhydrous substance)

##### Skin corrosion/irritation:

Skin – Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: (anhydrous substance)

##### Serious eye damage/eye irritation:

Eyes – Rabbit Result: Severe irritations (OECD Test Guideline 405)

Remarks: (anhydrous substance)

##### Respiratory or skin sensitization:

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

##### Germ cell mutagenicity:

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Remarks: (anhydrous substance)

Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application

Route: Oral Method: OECD Test Guideline 475 Result: negative

Remarks: (anhydrous substance)

**Carcinogenicity:** No data available

**Reproductive toxicity:** No data available

##### **Specific target organ toxicity - single exposure:**

Inhalation - May cause respiratory irritation.

##### **Specific target organ toxicity - repeated exposure:**

Oral - May cause damage to organs through prolonged or repeated exposure – Brain

**Aspiration hazard:** No data available



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## Toxicity data for hazardous ingredients – Kathon CG (CAS # 55965-84-9):

### Acute toxicity:

LD50 Oral - Rat - male and female - 66 mg/kg (OECD Test Guideline 401)  
LC50 Inhalation - Rat - male and female - 4 h - 0,171 mg/l – aerosol (OECD Test G. 403)  
LD50 Dermal - Rabbit - male - 87,12 mg/kg

### Skin corrosion/irritation:

Skin – Rabbit Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. (OECD Test Guideline 404)

### Serious eye damage/eye irritation:

Remarks: Mixture causes serious eye damage. Risk of blindness!  
Eyes – Rabbit Result: Causes serious eye damage. Remarks: (ECHA)

### Respiratory or skin sensitization:

May cause an allergic skin reaction. Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406)

### Germ cell mutagenicity:

Test Type: Ames test. Test system: Salmonella typhimurium. Result: positive  
Test Type: In vitro mammalian cell gene mutation test. Test system: mouse lymphoma cells  
Result: positive.  
Test Type: Ames test Test system: Salmonella typhimurium. Result: Positive results were obtained in some in vitro tests.  
Test Type: UDS (Unscheduled DNA synthesis assay). Test system: rat hepatocytes  
Result: negative.  
Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Result: positive. Method: OECD Test Guideline 475 Species: Mouse - male and female - Bone marrow Result: negative. Method: OECD Test Guideline 486 Species: Rat - male - Liver cells.  
Result: negative.  
Method: US-EPA Species: Mouse - male and female - Bone marrow  
Result: negative.  
Method: US-EPA Species: Rat - male - Liver cells  
Result: negative.  
Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes)  
Result: negative.

### Carcinogenicity:

No data available.

### Reproductive toxicity:

No data available.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

**Specific target organ toxicity - single exposure:**

No data available.

**Specific target organ toxicity - repeated exposure:**

No data available.

**Aspiration hazard:**

No data available.

**Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

*Remarks: (ECHA) The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid disodium salt*

**Acute toxicity:**

LD50 Oral - Rat - male and female - 2.800 mg/kg (OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist (Expert judgment)

Dermal: No data available

**Skin corrosion/irritation:** Skin – Rabbit Result: No skin irritation (OECD Test Guideline 404)

**Serious eye damage/eye irritation:** Eyes – Rabbit Result: No eye irritation (OECD Test Guideline 405)

**Respiratory or skin sensitization:** Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

**Germ cell mutagenicity:**

Test Type: Chromosome aberration test in vitro. Test system: Chinese hamster ovary cells.

Metabolic activation: with and without metabolic activation. Result: negative

*Remarks: (ECHA) The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid trisodium salt.*

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation Method: OECD Test G. 476

Result: negative

*The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid trisodium salt*

Test Type: Ames test Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471. Result: negative.

*Remarks: (ECHA)*

*The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt*

Test Type: In vivo micronucleus test. Species: Mouse. Application Route: Oral. Method: OECD Test Guideline 474



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



### **Carcinogenicity:**

No data available

### **Reproductive toxicity:**

No data available

### **Specific target organ toxicity - single exposure:**

No data available

### **Specific target organ toxicity - repeated exposure:**

Inhalation - May cause damage to organs through prolonged or repeated exposure.  
- Respiratory Tract

### **Aspiration hazard**

No data available

**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties:**

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

### **Other information:**

This product contains materials of animal origin and should be considered as potentially capable of transmitting infectious diseases.

## **12. Ecological information:**

### **12.1 Toxicity**

#### **Citric acid monohydrate (CAS # 5949-29-1):**

Toxicity to fish LC50 - *Leuciscus idus* (Golden orfe) - 440 - 760 mg/l - 96 h Remarks: (anhydrous substance),(IUCLID)

Toxicity to daphnia and other aquatic invertebrates EC5 - *E.sulcatum* - 485 mg/l - 72 h Remarks: (anhydrous substance - maximum permissible toxic concentration - Lit.)

EC50 - *Daphnia magna* (Water flea) - ca. 120 mg/l - 72 h Remarks: (anhydrous substance - IUCLID)

Toxicity to algae IC5 - *M.aeruginosa* - 80 mg/l - 8 d

Remarks: (anhydrous substance - maximum permissible toxic concentration - Lit.)

Toxicity to bacteria EC5 - *Pseudomonas putida* - > 10.000 mg/l - 16 h



---

**Kathon CG (CAS # 55965-84-9):**

Toxicity to fish flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout)

- 0,19 mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates flow-through test LC50 - *Daphnia magna* (Water flea) - 0,18 mg/l - 48 h (US-EPA)

Toxicity to bacteria static test EC50 - activated sludge - 4,5 mg/l - 3 h (OECD Test G. 209)

Toxicity to fish(Chronic toxicity) semi-static test NOEC - *Oncorhynchus mykiss* (rainbow trout) - 0,098 mg/l - 35 d (OECD Test Guideline 215)

Toxicity to daphnia and other aquatic flow-through test NOEC - *Daphnia magna* (Water flea) - 0,1 mg/l - 21 d invertebrates(Chronic toxicity). (US-EPA)

**Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

Toxicity to fish semi-static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate.

Toxicity to daphnia and other aquatic invertebrates static test EC50 - *Daphnia magna* (Water flea) - 140 mg/l - 48 h (DIN 38412)

Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

NOEC - *Daphnia magna* (Water flea) - 25 mg/l - 21 d

Remarks: (ECHA) The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid disodium salt

Toxicity to algae static test - *Pseudokirchneriella subcapitata* (green algae) - > 60 mg/l - 72 h (OECD Test Guideline 201)

Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate

Toxicity to bacteria NOEC - activated sludge - > 640 mg/l - 3 h (OECD Test Guideline 209)

Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate

## 12.2 Persistence and degradability

**Citric acid monohydrate (CAS # 5949-29-1):**

Biodegradability Result: 98 % - Readily eliminated from water (OECD Test Guideline 302B)

Remarks: (anhydrous substance) Biochemical Oxygen Demand (BOD) 481 mg/g

Chemical Oxygen Demand (COD) 685 mg/g

Theoretical oxygen demand 686 mg/g Remarks: (Lit.)

**Kathon CG (CAS # 55965-84-9):** No data available

**Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

Biodegradability Result: 2 % - Not readily biodegradable.

(OECD Test Guideline 301D)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid disodium salt



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



### 12.3 Bioaccumulative potential

#### Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):

Bioaccumulation *Lepomis macrochirus* (Bluegill sunfish) - 28 d at 21 °C - 0,08 mg/l (Edetate disodium dihydrate) Bioconcentration factor (BCF): 1,8 (OECD Test Guideline 305)

*Remarks: The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid, Tetrasodium salt*

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Not determined for this product. PBT: Not applicable, vPvB: Not applicable.

### 12.6 Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

**12.7 Other adverse effects:** Harmful effect due to pH shift. Discharge into the environment must be avoided.

## 13. Disposal considerations:

### 13.1 Waste treatment methods

**Product Waste Disposal:** Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

**Package disposal:** Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

### 13.2 Additional Information

No further relevant information available.



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



## 14. Transport information:

According to ADR and IATA (Chapter 10.3.1) regulations, shipment below the exemption quantity (1 MBq for Iodine 125) are considered as not dangerous goods. If the shipment exceed this quantity, please refer to the information given below:

Shipping information	IATA	IMDG	US DOT	European ADR	Canadian TDG
14.1 UN/ID number	2910	2910	2910	2910	2910
14.2 UN proper shipping name	Radioactive Material, excepted package-limited quantity of material				
14.3 Transport hazard class(es)	7 Radioactive Material	7 Radioactive Material	7 Radioactive Material	7 Radioactive Material	7 Radioactive Material
Subsidiary risk	None	None	None	None	None
Classification code	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4 Packing group					
Special provisions	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Additional information					
IATA ERG code	7L	Not applicable	Not applicable	Not applicable	Not applicable
EmS	Not applicable	F-I, S-S	Not applicable	Not applicable	Not applicable
NAERG code	Not applicable	Not applicable	161	Not applicable	161
14.5 Environmental hazards					
Marine pollutant	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.6 Special precautions for user	No special precautions for users are required.				

## 15. Regulatory information:

### 15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

**EU regulations:** This SDS complies with EC Regulations 1907/2006 (REACH and amendments).

#### Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard-determining components of labelling: \* NaN<sub>3</sub>, Kathon CG

\* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labelling necessary as the total volume of the components of the KIT is under 125 ml.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



### National legislation:

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**Other regulations:** Take note of Dir 94/33/EC on the protection of young people at work.

**Other information:** Radioactive material in accordance with “A.R. of 28/02/1963 art. 31” and following, relating to the protection of the population and workers against the danger of ionising radiations.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### 16. Other information:

<b>Izotop safety rating:</b> Flammability: 0	Code
Health: 1	0=None
Reactivity with water: 0	1=Slight
Physical contact: 1	2=Caution
	3=Severe

**Revision changes:** Revised to include EC 2020/878 amendment to REACH EC 1907/2006

**Document version and issue/revision date:** Revision Date (year/month/day) 2024/04/25

#### Description of hazard class and hazard statements from Section 3:

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1
Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2
Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1
H300 Fatal if swallowed.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H335 May cause respiratory irritation
H332 Harmful if inhaled.
H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists  
ADR - European Agreement Concerning The International Carriage Of Dangerous Goods By Road  
CLP - Classification, Labeling and Packaging  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO - International Civil Aviation Organization  
IMDG - International Maritime Dangerous Goods  
IOELVs - European Unions' Indicative Occupational Exposure Limit Values  
NIOSH - National Institute for Occupational Safety and Health  
OSHA - Occupational Safety and Health Administration  
PBT - Persistent bioaccumulative and toxic substances  
TDG - Canadian Transportation Of Dangerous Goods Regulations.  
US DOT - United States Department of Transportation  
vPvB - Very persistent and very bioaccumulative substances  
LC50 - Lethal Concentration, 50%  
LD50 - Lethal Dose, 50%



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### Calibrators

#### 1. Identification of the substance/preparation and of the company

##### 1.1 Product identifier:

**Product name:** Calibrators 0-5  
**Product code:** Components of RK-199CT  
**Product formal name:** Diagnostic reagents

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use**

**Application of the substance/preparation:** For In-vitro Diagnostic Use

##### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

**Further information available from:**  
**Email address of the competent person:**

[www.izotop.hu](http://www.izotop.hu)  
[immuno@izotop.hu](mailto:immuno@izotop.hu)

##### 1.4 Emergency telephone number

**Information in case of emergency:**

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only  
from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)

#### 2. Hazards identification:

##### 2.1 Classification of the substance or mixture

**Product description:** In vitro diagnostic reagent; Yellow, Liquid  
**Classification according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.3 Other hazards

**Additional information:** Results of PBT and vPvB assessment:  
PBT: Not applicable.  
vPvB: Not applicable.

**Sodium azide:** This product contains concentrations of sodium azide below the hazardous level, which with repeated contact with lead and copper commonly found in plumbing drains may result in the build-up of shock sensitive compounds. Sodium azide forms explosive compounds with heavy metals.




**Biologically derived materials:** This product contains animal biologically derived materials and should be considered as potentially capable of transmitting infectious diseases.

See Section 11 Toxicological Information for more detailed health information.

### 3. Composition / Information on ingredients:

#### 3.2 Mixtures

##### Hazardous ingredient(s):

International chemical identification	CAS #	EC no		
Sodium azide	26628-22-8	247-852-1		
(< 0.1 % by wt)	<b>Classification</b>		<b>Labelling</b>	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>
	Acute tox. 2	H300	EUH 032	GHS05 GHS06 GHS09 Dgr
	Aquatic Acute 1	H400		
	Aquatic Chronic 1	H410		
	<b>Signal words</b>		<b>Pictogram(s)</b>	
Danger				
		Skull and crossbones	Environment	Corrosive to metals

---

**Hazard statements:**

H300	Fatal if swallowed
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life
EUH032	Contact with acids liberates very toxic gas

**Precautionary statements:**

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 + P330	If swallowed immediately called a POISON CENTER or doctor/physician. Rinse mouth.
P302 + P352 + P310	If on skin gently wash with plenty of soap and water. Immediately called a POISON CENTER or doctor/physician.
P391	Collect spillage.
P501	Dispose of contents/container as waste: in an approved waste.

**4. First Aid:****4.1 Description of first aid measures**

<b>After inhalation:</b>	Remove victim to fresh air. If breath laboured, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.
<b>After eye contact:</b>	If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. Immediately call in ophthalmologist. Remove contact lenses.
<b>After skin contact:</b>	In case of skin contact, remove any contaminated clothing. Wash affected area with plenty of soap and water for at least 15 minutes. If pain or irritation occur, obtain medical attention.
<b>After swallowing:</b>	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
<b>General information:</b>	If ingested, or in case of feeling unwell, seek medical advice urgently.

**4.2 Most important symptoms and effects, both acute and delayed**

No adverse symptoms or effects have been identified.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available



---

## 5. Fire extinguishing measures:

**5.1 Extinguishing media:** In case of fire use carbon dioxide (CO<sub>2</sub>), dry chemical, water spray or foam. For large fires use extinguishing media suitable for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

**Special fire and explosion hazards:** No special hazards determined.

**Hazardous combustion products:** No combustion products posing significant hazards are expected from this product (an aqueous solution).

**5.3 Advice for firefighters:** Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

**5.4 Additional information:** No further relevant information available.

## 6. Accidental release measures:

### 6.1 Personal precaution, protective equipment and emergency procedures

**Personal Precautions:** This product contains a material of animal origin. Observe general safety guidelines for protection during clean up procedures.

Wear protective gloves, protective clothing and eye/face protection.

### 6.2 Environmental Precautions

Contain spill to prevent migration. Place absorbed material in container suitable for disposal. Do not allow the undiluted product to enter sewers/surface or ground water. Dispose of all waste material in accordance with local and facility guidelines.

### 6.3 Methods and material for containment and cleaning-up

**Spill and Leak Procedures:** As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Dispose of all waste material in accordance with local guidelines.

### 6.4 Reference to other sections

Refer sections 8 and 13.

## 7. Handling and storage:

**7.1 Precautions for safe handling:** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product. Wear suitable personal protective equipment. Avoid splashing. Use the reagent in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or apply cosmetics in laboratory areas.

**7.2 Conditions for safe storage, including any incompatibilities:** Store at 2 to 8°C, as directed on the product label. To maintain product quality, store according to



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



the instructions in the product labeling. Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

**7.3 Specific end uses:** No further relevant information available.

## 8. Exposure controls/personal protection:

### 8.1 Control parameters:

#### **Sodium Azide (CAS # 26628-22-8)**

**US OSHA:** None established

**ACGIH:** 0.29 mg/m<sup>3</sup> Ceiling (as Sodium azide); 0.11 ppm Ceiling (as Hydrazoic acid vapor)

**DFG MAK:** 0.4 mg/m<sup>3</sup> Peak (inhalable fraction); 0.2 mg/m<sup>3</sup> TWA MAK (inhalable fraction)

**Ireland:** 0.1 mg/m<sup>3</sup> TWA; 0.3 mg/m<sup>3</sup> STEL; Potential for cutaneous absorption

**IOELVs:** Possibility of significant uptake through the skin; 0.1 mg/m<sup>3</sup> TWA; 0.3 mg/m<sup>3</sup> STEL

**NIOSH:** None established

**Japan:** None established

### 8.2 Exposure controls

<b>Engineering Controls</b>	No special engineering controls are required. Use with good general ventilation.
<b>Eye Protection</b>	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
<b>Skin Protection</b>	Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin contact. Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate government standards.
<b>Respiratory Protection</b>	Under normal conditions, the use of this product should not require respiratory protection.

## 9. Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Transparency</b>	clear
<b>Colour</b>	yellow	<b>Decomposition Temperature</b>	not applicable
<b>Odour</b>	modest	<b>pH</b>	6.0 – 8.0
<b>Freezing point</b>	0 °C	<b>Kinematic viscosity</b>	not determined
<b>Boiling point</b>	100 °C	<b>Solubility in water</b>	complete
<b>Flammability</b>	not applicable	<b>Solubility in organic</b>	not determined
<b>Lower and upper explosion limit</b>	not applicable	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Flash Point</b>	not applicable	<b>Vapour pressure</b>	not applicable
<b>Autoignition Temp.</b>	not applicable	<b>Density and/or relative density</b>	1.00 @20°C

### 9.2 Other information:

No further relevant information available.

## 10. Stability and reactivity:

### 10.1 Reactivity:

Sodium azide: Contact with acids liberates very toxic gas.

### 10.2 Chemical Stability:

This product is stable in accordance with recommended storage conditions.

**10.3 Possibility of hazardous reactions:** Sodium azide: forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds. Do not allow the undiluted product to enter sewers/surface or ground water.

### 10.4 Conditions to avoid:

Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.

### 10.5 Incompatible materials:

Strong oxidizing agents, Strong acids, Metals and metallic compounds.

**10.6 Hazardous decomposition products:** No decomposition products posing significant hazards would be expected from these product (aqueous solutions).



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## 11. Toxicological information:

### 11.1 Information on hazard classes

#### Toxicity data for hazardous ingredients - Sodium azide (CAS # 26628-22-8):

##### Acute toxicity:

LD50 Oral - Rat - 27 mg/kg Remarks: (RTECS)

LC50 Inhalation - Rat - male and female - 4 h - 0,054 - 0,52 mg/l - dust/mist

(US-EPA) LD50 Dermal - Rabbit - 20 mg/kg Remarks: (RTECS)

##### Skin corrosion/irritation:

Skin - In vitro study Result: No skin irritation (OECD Test Guideline 439)

##### Serious eye damage/eye irritation:

Eyes - Bovine cornea Result: No eye irritation - 4 h (OECD Test Guideline 437)

##### Respiratory or skin sensitization:

Local lymph node assay (LLNA) – Mouse Result: negative (OECD Test Guideline 429)

##### Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: unscheduled DNA synthesis assay. Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation Method: OECD Test Guideline 482 Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: without metabolic activation Method: OECD Test Guideline 479 Result: negative

Carcinogenicity: No data available

Reproductive toxicity: No data available

Specific target organ toxicity - single exposure: No data available

##### Specific target organ toxicity - repeated exposure:

Oral - May cause damage to organs through prolonged or repeated exposure – Brain

Aspiration hazard: No data available

**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 11.2 Information on other hazards

### Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

### Other information:

This product contains materials of animal origin and should be considered as potentially capable of transmitting infectious diseases.

## 12. Ecological information:

**Ecotoxicological effects:** Sodium Azide (CAS # 26628-22-8) is toxic for aquatic organisms.

### 12.1 Toxicity

Toxicity to fish: flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 2,75 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to algae: static test ErC50 - *Pseudokirchneriella subcapitata* - 0,35 mg/l - 96 h (OECD Test Guideline 201)

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Not determined for this product. PBT: Not applicable, vPvB: Not applicable.

### 12.6 Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

**12.7 Other adverse effects:** This product contains environmentally hazardous substance below the cutoff level. Refer section 3 for ingredient information. Do not allow undiluted product to enter sewer/surface or ground water.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## 13. Disposal considerations:

### 13.1 Waste treatment methods

**Product Waste Disposal:** Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

Sodium azide preservative may form explosive compounds in metal drain lines.

See NIOSH Bulletin: Explosive Azide Hazard (8/16/76).

To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.

Dispose of as potentially biohazardous waste and in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

**Package disposal:** Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

### 13.2 Additional Information

Suggested European waste catalogue 18 01 07 - chemicals other than those mentioned in 18 01 06. Dispose in accordance with national, state and local waste regulations.

## 14. Transport information:

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

**14.1 UN/ID number:** Not regulated for transportation

**14.2 UN proper shipping name:** Not regulated for transportation

**14.3 Transport hazard class(es):** Not regulated for transportation

**14.4 Packing group:** Not regulated for transportation

**14.5 Environmental hazards:** Not regulated for transportation

**14.6 Special precautions for user:** None

**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 15. Regulatory information:

### 15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

**EU regulations:** This SDS complies with EC Regulations 1907/2006 (REACH and amendments).

**Labelling according to EU guidelines:** The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

**Hazard-determining components of labelling:** \* NaN<sub>3</sub>  
*\* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labelling necessary as the total volume of the components of the KIT is under 125 ml.*

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## 16. Other information:

<b>Izotop safety rating:</b> Flammability: 0	Code
Health: 1	0=None
Reactivity with	1=Slight
water: 0	2=Caution
Physical contact: 1	3=Severe

**Revision changes:** Revised to include EC 2020/878 amendment to REACH EC 1907/2006

**Document version and issue/revision date:** Revision Date (year/month/day) 2024/04/25

### Description of hazard class and hazard statements from Section 3:

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1

Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2

Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1

H300 - Fatal if swallowed.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists  
ADR - European Agreement Concerning The International Carriage Of Dangerous Goods By Road  
CLP - Classification, Labeling and Packaging  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO - International Civil Aviation Organization  
IMDG - International Maritime Dangerous Goods  
IOELVs - European Unions' Indicative Occupational Exposure Limit Values  
NIOSH - National Institute for Occupational Safety and Health  
OSHA - Occupational Safety and Health Administration  
PBT - Persistent bioaccumulative and toxic substances  
TDG - Canadian Transportation Of Dangerous Goods Regulations.  
US DOT - United States Department of Transportation  
vPvB - Very persistent and very bioaccumulative substances  
LC50 - Lethal Concentration, 50%  
LD50 - Lethal Dose, 50%



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### Control sera

#### 1. Identification of the substance/preparation and of the company

##### 1.1 Product identifier:

**Product name:** Control sera (CI, CII)  
**Product code:** Components of RK-199CT  
**Product formal name:** Diagnostic reagents

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

###### Product use

**Application of the substance/preparation:** For In-vitro Diagnostic Use

##### 1.3 Details of the supplier of the safety data sheet

###### Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

###### Further information available from:

[www.izotop.hu](http://www.izotop.hu)

###### Email address of the competent person:

[immuno@izotop.hu](mailto:immuno@izotop.hu)

##### 1.4 Emergency telephone number

###### Information in case of emergency:

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only  
from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)

#### 2. Hazards identification:

##### 2.1 Classification of the substance or mixture

**Product description:** In vitro diagnostic reagent; Yellow, Liquid  
**Classification according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**

Not classified as hazardous per EC 1272/2008 [CLP].



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 2.3 Other hazards

**Additional information:** Results of PBT and vPvB assessment:  
PBT: Not applicable.  
vPvB: Not applicable.

**Sodium azide:** This product contains concentrations of sodium azide below the hazardous level, which with repeated contact with lead and copper commonly found in plumbing drains may result in the build-up of shock sensitive compounds. Sodium azide forms explosive compounds with heavy metals.

**Kathon CG:** is a mixture in the ratio 3:1 of 5-chloro-2methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone; CMI) and 2-methyl-4-isothiazolin-3-one (Methylisothiazolinone; MI). This is a toxic substance. Avoid contact with components, which contain Kathon CG, and do not ingest.




**Biologically derived materials:** This product contains human biologically derived materials and should be considered as potentially capable of transmitting infectious diseases.

*See Section 11 Toxicological Information for more detailed health information.*

### 3. Composition / Information on ingredients:

#### 3.2 Mixtures

##### Hazardous ingredient(s):





International chemical identification	CAS #	EC no			
Sodium azide	26628-22-8	247-852-1			
(< 0.1 % by wt)	<b>Classification</b>		<b>Labelling</b>		
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>	
	Acute tox. 2	H300	EUH 032	GHS05 GHS06 GHS09 Dgr	
	Aquatic Acute 1	H400			
	Aquatic Chronic 1	H410			
	<b>Signal words</b>		<b>Pictogram(s)</b>		
	Danger				
		Skull and crossbones	Environment	Corrosive to metals	

##### Hazard statements:

H300 Fatal if swallowed  
 H400 Very toxic to aquatic life  
 H410 Very toxic to aquatic life  
 EUH032 Contact with acids liberates very toxic gas

##### Precautionary statements:

P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301 + P310 + P330 If swallowed immediately called a POISON CENTER or doctor/physician. Rinse mouth.  
 P302 + P352 + P310 If on skin gently wash with plenty of soap and water. Immediately called a POISON CENTER or doctor/physician.  
 P391 Collect spillage.  
 P501 Dispose of contents/container as waste: in an approved waste.

International chemical identification	CAS #	EC no				
Kathon CG	55965-84-9	-				
<b>Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)</b>						
	Classification		Labelling			
	Hazard class and Category Code(s)	Hazard statement Code(s)	Supplementary hazard statement Code(s)	Pictogram(s), signal word Code(s)		
	Acute tox. 3	H301		GHS06 GHS07 GHS09 GHS05Dgr		
	Acute tox. 3	H311				
	Skin Corr. 1B	H314				
	Skin Irrit. 2	H315				
	Skin Sens. 1	H317				
	Eye Irrit. 2	H319				
	Acute Tox. 3	H331				
	Aquatic Acute 1	H400				
	Aquatic Chronic 1	H410				
	Signal words		Pictogram(s)			
	Danger					
			Skull and crossbones	Irritant	Environment	Corrosion

**Hazardous statements:**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



---

### Precautionary statements:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements:	none

## 4. First Aid:

### 4.1 Description of first aid measures

<b>After inhalation:</b>	Remove victim to fresh air. If breath laboured, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.
<b>After eye contact:</b>	If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. Immediately call in ophthalmologist. Remove contact lenses.
<b>After skin contact:</b>	In case of skin contact, remove any contaminated clothing. Wash affected area with plenty of soap and water for at least 15 minutes. If pain or irritation occur, obtain medical attention.
<b>After swallowing:</b>	After swallowing: immediately make victim drink water (two glasses at most). Avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. Consult a physician.
<b>General information:</b>	If ingested, or in case of feeling unwell, seek medical advice urgently.

### 4.2 Most important symptoms and effects, both acute and delayed

No adverse symptoms or effects have been identified.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. Fire extinguishing measures:

**5.1 Extinguishing media:** In case of fire use carbon dioxide (CO<sub>2</sub>), dry chemical, water spray or foam. For large fires use extinguishing media suitable for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

**Special fire and explosion hazards:** No special hazards determined.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



**Hazardous combustion products:** No combustion products posing significant hazards are expected from this product (an aqueous solution).

**5.3 Advice for firefighters:** Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

**5.4 Additional information:** No further relevant information available.

## 6. Accidental release measures:

### 6.1 Personal precaution, protective equipment and emergency procedures

**Personal Precautions:** This product contains a material of human origin. Observe general safety guidelines for protection during clean up procedures.

Wear protective gloves, protective clothing and eye/face protection.

### 6.2 Environmental Precautions

Contain spill to prevent migration. Place absorbed material in container suitable for disposal. Do not allow the undiluted product to enter sewers/surface or ground water. Dispose of all waste material in accordance with local and facility guidelines.

### 6.3 Methods and material for containment and cleaning-up

**Spill and Leak Procedures:** As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Dispose of all waste material in accordance with local guidelines.

### 6.4 Reference to other sections

Refer sections 8 and 13.

## 7. Handling and storage:

**7.1 Precautions for safe handling:** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product. Wear suitable personal protective equipment. Avoid splashing. Use the reagent in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or apply cosmetics in laboratory areas.

**7.2 Conditions for safe storage, including any incompatibilities:** Store at 2 to 8°C, as directed on the product label. To maintain product quality, store according to the instructions in the product labeling. Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

**7.3 Specific end uses:** No further relevant information available.



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



## 8. Exposure controls/personal protection:

### 8.1 Control parameters:

#### **Sodium Azide (CAS # 26628-22-8)**

**US OSHA:** None established

**ACGIH:** 0.29 mg/m<sup>3</sup> Ceiling (as Sodium azide); 0.11 ppm Ceiling (as Hydrazoic acid vapor)

**DFG MAK:** 0.4 mg/m<sup>3</sup> Peak (inhalable fraction); 0.2 mg/m<sup>3</sup> TWA MAK (inhalable fraction)

**Ireland:** 0.1 mg/m<sup>3</sup> TWA; 0.3 mg/m<sup>3</sup> STEL; Potential for cutaneous absorption

**IOELVs:** Possibility of significant uptake through the skin; 0.1 mg/m<sup>3</sup> TWA; 0.3 mg/m<sup>3</sup> STEL

**NIOSH:** None established

**Japan:** None established

### 8.2 Exposure controls

<b>Engineering Controls</b>	No special engineering controls are required. Use with good general ventilation.
<b>Eye Protection</b>	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
<b>Skin Protection</b>	Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin contact. Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate government standards.
<b>Respiratory Protection</b>	Under normal conditions, the use of this product should not require respiratory protection.

## 9. Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Transparency</b>	clear
<b>Colour</b>	yellow	<b>Decomposition Temperature</b>	not applicable
<b>Odour</b>	modest	<b>pH</b>	6.0 – 8.0
<b>Freezing point</b>	0 °C	<b>Kinematic viscosity</b>	not determined
<b>Boiling point</b>	100 °C	<b>Solubility in water</b>	complete
<b>Flammability</b>	not applicable	<b>Solubility in organic</b>	not determined
<b>Lower and upper explosion limit</b>	not applicable	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Flash Point</b>	not applicable	<b>Vapour pressure</b>	not applicable
<b>Autoignition Temp.</b>	not applicable	<b>Density and/or relative density</b>	1.00 @20°C

### 9.2 Other information:

No further relevant information available.

## 10. Stability and reactivity:

### 10.1 Reactivity:

Sodium azide: Contact with acids liberates very toxic gas.

### 10.2 Chemical Stability:

This product is stable in accordance with recommended storage conditions.

**10.3 Possibility of hazardous reactions:** Sodium azide: forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds. Do not allow the undiluted product to enter sewers/surface or ground water.

### 10.4 Conditions to avoid:

Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.

### 10.5 Incompatible materials:

Strong oxidizing agents, Strong acids, Metals and metallic compounds.

**10.6 Hazardous decomposition products:** No decomposition products posing significant hazards would be expected from these product (aqueous solutions).



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 11. Toxicological information:

### 11.1 Information on hazard classes

**Toxicity data for hazardous ingredients - Sodium azide (CAS # 26628-22-8):**

**Acute toxicity:**

LD50 Oral - Rat - 27 mg/kg Remarks: (RTECS)

LC50 Inhalation - Rat - male and female - 4 h - 0,054 - 0,52 mg/l - dust/mist  
(US-EPA) LD50 Dermal - Rabbit - 20 mg/kg Remarks: (RTECS)

**Skin corrosion/irritation:**

Skin - In vitro study Result: No skin irritation (OECD Test Guideline 439)

**Serious eye damage/eye irritation:**

Eyes - Bovine cornea Result: No eye irritation - 4 h (OECD Test Guideline 437)

**Respiratory or skin sensitization:**

Local lymph node assay (LLNA) – Mouse Result: negative (OECD Test Guideline 429)

**Germ cell mutagenicity**

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: unscheduled DNA synthesis assay. Test system: Chinese hamster lung cells  
Metabolic activation: without metabolic activation Method: OECD Test Guideline 482  
Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells  
Metabolic activation: without metabolic activation Method: OECD Test Guideline 479  
Result: negative

**Carcinogenicity:** No data available

**Reproductive toxicity:** No data available

**Specific target organ toxicity - single exposure:** No data available

**Specific target organ toxicity - repeated exposure:**

Oral - May cause damage to organs through prolonged or repeated exposure – Brain

**Aspiration hazard:** No data available

**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## Toxicity data for hazardous ingredients – Kathon CG (CAS # 55965-84-9):

### Acute toxicity:

LD50 Oral - Rat - male and female - 66 mg/kg (OECD Test Guideline 401)  
LC50 Inhalation - Rat - male and female - 4 h - 0,171 mg/l – aerosol (OECD Test G. 403)  
LD50 Dermal - Rabbit - male - 87,12 mg/kg

### Skin corrosion/irritation:

Skin – Rabbit Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. (OECD Test Guideline 404)

### Serious eye damage/eye irritation:

Remarks: Mixture causes serious eye damage. Risk of blindness!  
Eyes – Rabbit Result: Causes serious eye damage. Remarks: (ECHA)

### Respiratory or skin sensitization:

May cause an allergic skin reaction. Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406)

### Germ cell mutagenicity:

Test Type: Ames test. Test system: Salmonella typhimurium. Result: positive  
Test Type: In vitro mammalian cell gene mutation test. Test system: mouse lymphoma cells  
Result: positive.  
Test Type: Ames test Test system: Salmonella typhimurium. Result: Positive results were obtained in some in vitro tests.  
Test Type: UDS (Unscheduled DNA synthesis assay). Test system: rat hepatocytes  
Result: negative.  
Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Result: positive. Method: OECD Test Guideline 475 Species: Mouse - male and female - Bone marrow Result: negative. Method: OECD Test Guideline 486 Species: Rat - male - Liver cells.  
Result: negative.  
Method: US-EPA Species: Mouse - male and female - Bone marrow  
Result: negative.  
Method: US-EPA Species: Rat - male - Liver cells  
Result: negative.  
Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes)  
Result: negative.

### Carcinogenicity:

No data available.

### Reproductive toxicity:

No data available.



INSTITUTE OF ISOTOPE CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

**Specific target organ toxicity - single exposure:**

No data available.

**Specific target organ toxicity - repeated exposure:**

No data available.

**Aspiration hazard:**

No data available.

**11.2 Information on other hazards****Endocrine disrupting properties:**

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

**Other information:**

This product contains materials of human origin and should be considered as potentially capable of transmitting infectious diseases.

**12. Ecological information:****Ecotoxicological effects:**

Sodium Azide (CAS # 26628-22-8) is toxic for aquatic organisms.

**12.1 Toxicity****Sodium Azide (CAS # 26628-22-8):**

Toxicity to fish: flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 2,75 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to algae: static test ErC50 - *Pseudokirchneriella subcapitata* - 0,35 mg/l - 96 h (OECD Test Guideline 201)

**Kathon CG (CAS # 55965-84-9):**

Toxicity to fish flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 0,19 mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates flow-through test LC50 - *Daphnia magna* (Water flea) - 0,18 mg/l - 48 h (US-EPA)

Toxicity to bacteria static test EC50 - activated sludge - 4,5 mg/l - 3 h (OECD Test G. 209)

Toxicity to fish(Chronic toxicity) semi-static test NOEC - *Oncorhynchus mykiss* (rainbow trout) - 0,098 mg/l - 35 d (OECD Test Guideline 215)

Toxicity to daphnia and other aquatic flow-through test NOEC - *Daphnia magna* (Water flea) - 0,1 mg/l - 21 d invertebrates(Chronic toxicity). (US-EPA)

**12.2 Persistence and degradability****Sodium Azide (CAS # 26628-22-8):**

The methods for determining the biological degradability are not applicable to inorganic substances.

**Kathon CG (CAS # 55965-84-9):** No data available



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Not determined for this product. PBT: Not applicable, vPvB: Not applicable.

### 12.6 Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

**12.7 Other adverse effects:** This product contains environmentally hazardous substance below the cutoff level. Refer section 3 for ingredient information. Do not allow undiluted product to enter sewer/surface or ground water.

## 13. Disposal considerations:

### 13.1 Waste treatment methods

**Product Waste Disposal:** Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

Sodium azide preservative may form explosive compounds in metal drain lines.

See NIOSH Bulletin: Explosive Azide Hazard (8/16/76).

To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.

Dispose of as potentially biohazardous waste and in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

**Package disposal:** Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

### 13.2 Additional Information

Suggested European waste catalogue 18 01 07 - chemicals other than those mentioned in 18 01 06. Dispose in accordance with national, state and local waste regulations.

## 14. Transport information:

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



- 14.1 UN/ID number:** Not regulated for transportation  
**14.2 UN proper shipping name:** Not regulated for transportation  
**14.3 Transport hazard class(es):** Not regulated for transportation  
**14.4 Packing group:** Not regulated for transportation  
**14.5 Environmental hazards:** Not regulated for transportation  
**14.6 Special precautions for user:** None  
**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable

## 15. Regulatory information:

### 15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

**EU regulations:** This SDS complies with EC Regulations 1907/2006 (REACH and amendments).

**Labelling according to EU guidelines:** The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

### **Hazard-determining components of labelling:** \* NaN<sub>3</sub>, Kathon CG

*\* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labelling necessary as the total volume of the components of the KIT is under 125 ml.*

### **National legislation:**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**Other regulations:** Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## 16. Other information:

<b>Izotop safety rating:</b> Flammability: 0	Code
Health: 1	0=None
Reactivity with	1=Slight
water: 0	2=Caution
Physical contact: 1	3=Severe

**Revision changes:** Revised to include EC 2020/878 amendment to REACH EC 1907/2006

**Document version and issue/revision date:** Revision Date (year/month/day) 2024/04/25



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### Description of hazard class and hazard statements from Section 3:

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1  
Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2  
Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1  
H300 Fatal if swallowed.  
H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists  
ADR - European Agreement Concerning The International Carriage Of Dangerous Goods By Road  
CLP - Classification, Labeling and Packaging  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO - International Civil Aviation Organization  
IMDG - International Maritime Dangerous Goods  
IOELVs - European Unions' Indicative Occupational Exposure Limit Values  
NIOSH - National Institute for Occupational Safety and Health  
OSHA - Occupational Safety and Health Administration  
PBT - Persistent bioaccumulative and toxic substances  
TDG - Canadian Transportation Of Dangerous Goods Regulations.  
US DOT - United States Department of Transportation  
vPvB - Very persistent and very bioaccumulative substances  
LC50 - Lethal Concentration, 50%  
LD50 - Lethal Dose, 50%



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### Dilution serum

#### 1. Identification of the substance/preparation and of the company

##### 1.1 Product identifier:

<b>Product name:</b>	Dilution serum
<b>Product code:</b>	Component of RK-199CT
<b>Product formal name:</b>	Diagnostic reagents

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use**

**Application of the substance/preparation:** For In-vitro Diagnostic Use

##### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

**Further information available from:**  
**Email address of the competent person:**

[www.izotop.hu](http://www.izotop.hu)  
[immuno@izotop.hu](mailto:immuno@izotop.hu)

##### 1.4 Emergency telephone number

**Information in case of emergency:**

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only  
from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)

#### 2. Hazards identification:

##### 2.1 Classification of the substance or mixture

**Product description:** In vitro diagnostic reagent; Yellow, Liquid  
**Classification according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.3 Other hazards

**Additional information:** Results of PBT and vPvB assessment:  
PBT: Not applicable.  
vPvB: Not applicable.

**Sodium azide:** This product contains concentrations of sodium azide below the hazardous level, which with repeated contact with lead and copper commonly found in plumbing drains may result in the build-up of shock sensitive compounds. Sodium azide forms explosive compounds with heavy metals.




**Biologically derived materials:** This product contains animal biologically derived materials and should be considered as potentially capable of transmitting infectious diseases.

See Section 11 Toxicological Information for more detailed health information.

### 3. Composition / Information on ingredients:

#### 3.2 Mixtures

##### Hazardous ingredient(s):

International chemical identification	CAS #	EC no		
Sodium azide	26628-22-8	247-852-1		
(< 0.1 % by wt)	<b>Classification</b>		<b>Labelling</b>	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>
	Acute tox. 2	H300	EUH 032	GHS05 GHS06 GHS09 Dgr
	Aquatic Acute 1	H400		
	Aquatic Chronic 1	H410		
	<b>Signal words</b>		<b>Pictogram(s)</b>	
Danger				
		Skull and crossbones	Environment	Corrosive to metals



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### Hazard statements:

H300 Fatal if swallowed  
H400 Very toxic to aquatic life  
H410 Very toxic to aquatic life  
EUH032 Contact with acids liberates very toxic gas

### Precautionary statements:

P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301 + P310 + P330 If swallowed immediately called a POISON CENTER or doctor/physician. Rinse mouth.  
P302 + P352 + P310 If on skin gently wash with plenty of soap and water. Immediately called a POISON CENTER or doctor/physician.  
P391 Collect spillage.  
P501 Dispose of contents/container as waste: in an approved waste.

## 4. First Aid:

### 4.1 Description of first aid measures

**After inhalation:** Remove victim to fresh air. If breath laboured, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.

**After eye contact:** If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. Immediately call in ophthalmologist. Remove contact lenses.

**After skin contact:** In case of skin contact, remove any contaminated clothing. Wash affected area with plenty of soap and water for at least 15 minutes. If pain or irritation occur, obtain medical attention.

**After swallowing:** After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

**General information:** If ingested, or in case of feeling unwell, seek medical advice urgently.

### 4.2 Most important symptoms and effects, both acute and delayed

No adverse symptoms or effects have been identified.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## 5. Fire extinguishing measures:

**5.1 Extinguishing media:** In case of fire use carbon dioxide (CO<sub>2</sub>), dry chemical, water spray or foam. For large fires use extinguishing media suitable for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

**Special fire and explosion hazards:** No special hazards determined.

**Hazardous combustion products:** No combustion products posing significant hazards are expected from this product (an aqueous solution).

**5.3 Advice for firefighters:** Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

**5.4 Additional information:** No further relevant information available.

## 6. Accidental release measures:

### 6.1 Personal precaution, protective equipment and emergency procedures

**Personal Precautions:** This product contains a material of animal origin. Observe general safety guidelines for protection during clean up procedures.

Wear protective gloves, protective clothing and eye/face protection.

### 6.2 Environmental Precautions

Contain spill to prevent migration. Place absorbed material in container suitable for disposal. Do not allow the undiluted product to enter sewers/surface or ground water. Dispose of all waste material in accordance with local and facility guidelines.

### 6.3 Methods and material for containment and cleaning-up

**Spill and Leak Procedures:** As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Dispose of all waste material in accordance with local guidelines.

### 6.4 Reference to other sections

Refer sections 8 and 13.

## 7. Handling and storage:

**7.1 Precautions for safe handling:** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product. Wear suitable personal protective equipment. Avoid splashing. Use the reagent in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or apply cosmetics in laboratory areas.

**7.2 Conditions for safe storage, including any incompatibilities:** Store at 2 to 8°C, as directed on the product label. To maintain product quality, store according to



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



the instructions in the product labeling. Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

**7.3 Specific end uses:** No further relevant information available.

## 8. Exposure controls/personal protection:

### 8.1 Control parameters:

#### Sodium Azide (CAS # 26628-22-8)

**US OSHA:** None established

**ACGIH:** 0.29 mg/m<sup>3</sup> Ceiling (as Sodium azide); 0.11 ppm Ceiling (as Hydrazoic acid vapor)

**DFG MAK:** 0.4 mg/m<sup>3</sup> Peak (inhalable fraction); 0.2 mg/m<sup>3</sup> TWA MAK (inhalable fraction)

**Ireland:** 0.1 mg/m<sup>3</sup> TWA; 0.3 mg/m<sup>3</sup> STEL; Potential for cutaneous absorption

**IOELVs:** Possibility of significant uptake through the skin; 0.1 mg/m<sup>3</sup> TWA; 0.3 mg/m<sup>3</sup> STEL

**NIOSH:** None established

**Japan:** None established

### 8.2 Exposure controls

<b>Engineering Controls</b>	No special engineering controls are required. Use with good general ventilation.
<b>Eye Protection</b>	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
<b>Skin Protection</b>	Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin contact. Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate government standards.
<b>Respiratory Protection</b>	Under normal conditions, the use of this product should not require respiratory protection.

## 9. Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Transparency</b>	clear
<b>Colour</b>	yellow	<b>Decomposition Temperature</b>	not applicable
<b>Odour</b>	modest	<b>pH</b>	6.0 – 8.0
<b>Freezing point</b>	0 °C	<b>Kinematic viscosity</b>	not determined
<b>Boiling point</b>	100 °C	<b>Solubility in water</b>	complete
<b>Flammability</b>	not applicable	<b>Solubility in organic</b>	not determined
<b>Lower and upper explosion limit</b>	not applicable	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Flash Point</b>	not applicable	<b>Vapour pressure</b>	not applicable
<b>Autoignition Temp.</b>	not applicable	<b>Density and/or relative density</b>	1.00 @20°C

### 9.2 Other information:

No further relevant information available.

## 10. Stability and reactivity:

### 10.1 Reactivity:

Sodium azide: Contact with acids liberates very toxic gas.

### 10.2 Chemical Stability:

This product is stable in accordance with recommended storage conditions.

**10.3 Possibility of hazardous reactions:** Sodium azide: forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds. Do not allow the undiluted product to enter sewers/surface or ground water.

### 10.4 Conditions to avoid:

Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.

### 10.5 Incompatible materials:

Strong oxidizing agents, Strong acids, Metals and metallic compounds.

**10.6 Hazardous decomposition products:** No decomposition products posing significant hazards would be expected from these product (aqueous solutions).



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 11. Toxicological information:

### 11.1 Information on hazard classes

#### Toxicity data for hazardous ingredients - Sodium azide (CAS # 26628-22-8):

##### Acute toxicity:

LD50 Oral - Rat - 27 mg/kg Remarks: (RTECS)

LC50 Inhalation - Rat - male and female - 4 h - 0,054 - 0,52 mg/l - dust/mist

(US-EPA) LD50 Dermal - Rabbit - 20 mg/kg Remarks: (RTECS)

##### Skin corrosion/irritation:

Skin - In vitro study Result: No skin irritation (OECD Test Guideline 439)

##### Serious eye damage/eye irritation:

Eyes - Bovine cornea Result: No eye irritation - 4 h (OECD Test Guideline 437)

##### Respiratory or skin sensitization:

Local lymph node assay (LLNA) – Mouse Result: negative (OECD Test Guideline 429)

##### Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: unscheduled DNA synthesis assay. Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation Method: OECD Test Guideline 482 Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: without metabolic activation Method: OECD Test Guideline 479 Result: negative

Carcinogenicity: No data available

Reproductive toxicity: No data available

Specific target organ toxicity - single exposure: No data available

Specific target organ toxicity - repeated exposure:

Oral - May cause damage to organs through prolonged or repeated exposure – Brain

Aspiration hazard: No data available

**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 11.2 Information on other hazards

### Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

### Other information:

This product contains materials of animal origin and should be considered as potentially capable of transmitting infectious diseases.

## 12. Ecological information:

**Ecotoxicological effects:** Sodium Azide (CAS # 26628-22-8) is toxic for aquatic organisms.

### 12.1 Toxicity

Toxicity to fish: flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 2,75 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to algae: static test ErC50 - *Pseudokirchneriella subcapitata* - 0,35 mg/l - 96 h (OECD Test Guideline 201)

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Not determined for this product. PBT: Not applicable, vPvB: Not applicable.

### 12.6 Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

**12.7 Other adverse effects:** This product contains environmentally hazardous substance below the cutoff level. Refer section 3 for ingredient information. Do not allow undiluted product to enter sewer/surface or ground water.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

## 13. Disposal considerations:

### 13.1 Waste treatment methods

**Product Waste Disposal:** Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

Sodium azide preservative may form explosive compounds in metal drain lines.

See NIOSH Bulletin: Explosive Azide Hazard (8/16/76).

To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.

Dispose of as potentially biohazardous waste and in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

**Package disposal:** Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

### 13.2 Additional Information

Suggested European waste catalogue 18 01 07 - chemicals other than those mentioned in 18 01 06. Dispose in accordance with national, state and local waste regulations.

## 14. Transport information:

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

**14.1 UN/ID number:** Not regulated for transportation

**14.2 UN proper shipping name:** Not regulated for transportation

**14.3 Transport hazard class(es):** Not regulated for transportation

**14.4 Packing group:** Not regulated for transportation

**14.5 Environmental hazards:** Not regulated for transportation

**14.6 Special precautions for user:** None

**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 15. Regulatory information:

### 15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

**EU regulations:** This SDS complies with EC Regulations 1907/2006 (REACH and amendments).

**Labelling according to EU guidelines:** The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

**Hazard-determining components of labelling:** \* NaN<sub>3</sub>  
\* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labelling necessary as the total volume of the components of the KIT is under 125 ml.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## 16. Other information:

<b>Izotop safety rating:</b> Flammability: 0	Code
Health: 1	0=None
Reactivity with	1=Slight
water: 0	2=Caution
Physical contact: 1	3=Severe

**Revision changes:** Revised to include EC 2020/878 amendment to REACH EC 1907/2006

**Document version and issue/revision date:** Revision Date (year/month/day) 2024/04/25

### Description of hazard class and hazard statements from Section 3:

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1

Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2

Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1

H300 - Fatal if swallowed.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists  
ADR - European Agreement Concerning The International Carriage Of Dangerous Goods By Road  
CLP - Classification, Labeling and Packaging  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO - International Civil Aviation Organization  
IMDG - International Maritime Dangerous Goods  
IOELVs - European Unions' Indicative Occupational Exposure Limit Values  
NIOSH - National Institute for Occupational Safety and Health  
OSHA - Occupational Safety and Health Administration  
PBT - Persistent bioaccumulative and toxic substances  
TDG - Canadian Transportation Of Dangerous Goods Regulations.  
US DOT - United States Department of Transportation  
vPvB - Very persistent and very bioaccumulative substances  
LC50 - Lethal Concentration, 50%  
LD50 - Lethal Dose, 50%



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### Antiserum

#### 1. Identification of the substance/preparation and of the company

##### 1.1 Product identifier:

**Product name:** Antiserum  
**Product code:** Components of RK-199CT  
**Product formal name:** Diagnostic reagents

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use**

**Application of the substance/preparation:** For In-vitro Diagnostic Use

##### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

**Further information available from:**  
**Email address of the competent person:**

[www.izotop.hu](http://www.izotop.hu)  
[immuno@izotop.hu](mailto:immuno@izotop.hu)

##### 1.4 Emergency telephone number

**Information in case of emergency:**

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)

#### 2. Hazards identification:

##### 2.1 Classification of the substance or mixture

**Product description:** In vitro diagnostic reagent; Blue, Liquid  
**Classification according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.3 Other hazards

**Additional information:** Results of PBT and vPvB assessment:  
PBT: Not applicable.  
vPvB: Not applicable.

**Citric acid monohydrate:** This product contains Citric acid monohydrate. It May cause respiratory and eye irritation.

**Kathon CG:** is a mixture in the ratio 3:1 of 5-chloro-2methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone; CMI) and 2-methyl-4-isothiazolin-3-one (Methylisothiazolinone; MI). This is a toxic substance. Avoid contact with components, which contain Kathon CG, and do not ingest.

**Ethylenediaminetetraacetic acid disodium salt dihydrate:** It may cause damage to organs (Respiratory Tract).


**Biologically derived materials:** This product contains animal biologically derived materials and should be considered as potentially capable of transmitting infectious diseases.

See Section 11 Toxicological Information for more detailed health information.

### 3. Composition / Information on ingredients:

#### 3.2 Mixtures

##### Hazardous ingredient(s):

International chemical identification	CAS #	EC no		
Citric acid monohydrate	5949-29-1	201-069-1		
(< 2 % by wt)	<b>Classification</b>		<b>Labelling</b>	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>
	Eye Irrit. 2	H319	-	GHS07
	STOT SE 3	H335		
	<b>Signal words</b>		<b>Pictogram(s)</b>	
	Warning		 <b>Irritant</b>	

##### Hazard statements:

H319 Causes serious eye irritation  
 H335 May cause respiratory irritation







INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



**Precautionary statements:**

- P261 Avoid breathing dust.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear eye protection/ face protection.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements: none

<b>International chemical identification</b>	<b>CAS #</b>	<b>EC no</b>				
Kathon CG	55965-84-9	-				
<b>Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)</b>						
	<b>Classification</b>		<b>Labelling</b>			
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>		
	Acute tox. 3	H301		GHS06 GHS07 GHS09 GHS05Dgr		
	Acute tox. 3	H311				
	Skin Corr. 1B	H314				
	Skin Irrit. 2	H315				
	Skin Sens. 1	H317				
	Eye Irrit. 2	H319				
	Acute Tox. 3	H331				
	Aquatic Acute 1	H400				
	Aquatic Chronic 1	H410				
	<b>Signal words</b>		<b>Pictogram(s)</b>			
	Danger					
			Skull and crossbones	Irritant	Environment	Corrosion





### Hazardous statements:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Precautionary statements:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements: none

International chemical identification	CAS #		EC no	
Ethylenediaminetetraacetic acid disodium salt dihydrate	6381-92-6		205-358-3	
	Classification		Labelling	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>
	Acute tox. 4	H332		GHS07
	STOT SE 2	H373		GHS08
	Signal words		Pictogram(s)	
	Danger			
			Harmful	Health hazard



---

### Hazardous statements:

H332	Harmful if inhaled.
H373	May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

### Precautionary statements:

P260	Do not breathe dust.
P271	Use only outdoors or in a well-ventilated area.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements: none

## 4. First Aid:

### 4.1 Description of first aid measures

**After inhalation:** Remove victim to fresh air. If breath laboured, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.

**After eye contact:** If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. Immediately call in ophthalmologist. Remove contact lenses.

**After skin contact:** In case of skin contact, remove any contaminated clothing. Wash affected area with plenty of soap and water for at least 15 minutes. If pain or irritation occur, obtain medical attention.

**After swallowing:** After swallowing: immediately make victim drink water (two glasses at most). Avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. Consult a physician.

**General information:** If ingested, or in case of feeling unwell, seek medical advice urgently.

### 4.2 Most important symptoms and effects, both acute and delayed

No adverse symptoms or effects have been identified.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. Fire extinguishing measures:

**5.1 Extinguishing media:** In case of fire use carbon dioxide (CO<sub>2</sub>), dry chemical, water spray or foam. For large fires use extinguishing media suitable for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture



**Special fire and explosion hazards:** No special hazards determined.

**Hazardous combustion products:** No combustion products posing significant hazards are expected from this product (an aqueous solution).

**5.3 Advice for firefighters:** Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

**5.4 Additional information:** No further relevant information available.

## 6. Accidental release measures:

### 6.1 Personal precaution, protective equipment and emergency procedures

**Personal Precautions:** This product contains a material of animal origin. Observe general safety guidelines for protection during clean up procedures. Wear protective gloves, protective clothing and eye/face protection.

### 6.2 Environmental Precautions

Contain spill to prevent migration. Place absorbed material in container suitable for disposal. Do not allow the undiluted product to enter sewers/surface or ground water. Dispose of all waste material in accordance with local and facility guidelines.

### 6.3 Methods and material for containment and cleaning-up

**Spill and Leak Procedures:** As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Dispose of all waste material in accordance with local guidelines.

### 6.4 Reference to other sections

Refer sections 8 and 13.

## 7. Handling and storage:

**7.1 Precautions for safe handling:** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product. Wear suitable personal protective equipment. Avoid splashing. Use the reagent in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or apply cosmetics in laboratory areas.

**7.2 Conditions for safe storage, including any incompatibilities:** Store at 2 to 8°C, as directed on the product label. To maintain product quality, store according to the instructions in the product labeling. Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10). No metal containers.

**7.3 Specific end uses:** No further relevant information available.

## 8. Exposure controls/personal protection:

### 8.1 Control parameters:

#### Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	inhalation	Local effects	3 mg/m <sup>3</sup>
Worker DNEL, longterm	inhalation	Local effects	1,5 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	Local effects	1,2 mg/m <sup>3</sup>
Consumer DNEL, longterm	inhalation	Local effects	0,6 mg/m <sup>3</sup>
Consumer DNEL, longterm	oral	Systemic effects	-

Fresh water: 2,2 mg/l

Sea water: 0,22 mg/l

Aquatic intermittent release: 1,2 mg/l

Sewage treatment plant: 43 mg/l

Soil: 0,72 mg/kg

### 8.2 Exposure controls

<b>Engineering Controls</b>	No special engineering controls are required. Use with good general ventilation.
<b>Eye Protection</b>	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
<b>Skin Protection</b>	Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin contact. Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate government standards.
<b>Respiratory Protection</b>	Under normal conditions, the use of this product should not require respiratory protection.

## 9. Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Transparency</b>	clear
<b>Colour</b>	blue	<b>Decomposition Temperature</b>	not applicable
<b>Odour</b>	odourless	<b>pH</b>	2.5 – 3.5
<b>Freezing point</b>	0 °C	<b>Kinematic viscosity</b>	not determined
<b>Boiling point</b>	100 °C	<b>Solubility in water</b>	complete
<b>Flammability</b>	not applicable	<b>Solubility in organic</b>	not determined
<b>Lower and upper explosion limit</b>	not applicable	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Flash Point</b>	not applicable	<b>Vapour pressure</b>	not applicable
<b>Autoignition Temp.</b>	not applicable	<b>Density and/or relative density</b>	1.00 @20°C

### 9.2 Other information:

No further relevant information available.

## 10. Stability and reactivity:

### 10.1 Reactivity:

No data available.

### 10.2 Chemical Stability:

This product is stable in accordance with recommended storage conditions.

### 10.3 Possibility of hazardous reactions:

No data available.

### 10.4 Conditions to avoid:

Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.

### 10.5 Incompatible materials:

Strong oxidizing agents, Amines, Reducing agents, Mercaptans, Strong oxidizing agents, Metals.

### 10.6 Hazardous decomposition products:

No decomposition products posing significant hazards would be expected from these product (aqueous solutions).



INSTITUTE OF ISOTOPE CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 11. Toxicological information:

### 11.1 Information on hazard classes

#### Toxicity data for hazardous ingredients - Citric acid monohydrate (CAS # 5949-29-1):

##### Acute toxicity:

LD50 Oral - Mouse - male and female - 5.400 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

LD50 Oral - Rat - male - 11.700 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

Symptoms: In high doses:, Irritation of mucous membranes, Pain, Bloody vomiting

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Remarks: (anhydrous substance)

##### Skin corrosion/irritation:

Skin – Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: (anhydrous substance)

##### Serious eye damage/eye irritation:

Eyes – Rabbit Result: Severe irritations (OECD Test Guideline 405)

Remarks: (anhydrous substance)

##### Respiratory or skin sensitization:

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

##### Germ cell mutagenicity:

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Remarks: (anhydrous substance)

Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application

Route: Oral Method: OECD Test Guideline 475 Result: negative

Remarks: (anhydrous substance)

**Carcinogenicity:** No data available

**Reproductive toxicity:** No data available

##### **Specific target organ toxicity - single exposure:**

Inhalation - May cause respiratory irritation.

##### **Specific target organ toxicity - repeated exposure:**

Oral - May cause damage to organs through prolonged or repeated exposure – Brain

**Aspiration hazard:** No data available



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

### **Toxicity data for hazardous ingredients – Kathon CG (CAS # 55965-84-9):**

#### **Acute toxicity:**

LD50 Oral - Rat - male and female - 66 mg/kg (OECD Test Guideline 401)  
LC50 Inhalation - Rat - male and female - 4 h - 0,171 mg/l – aerosol (OECD Test G. 403)  
LD50 Dermal - Rabbit - male - 87,12 mg/kg

#### **Skin corrosion/irritation:**

Skin – Rabbit Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. (OECD Test Guideline 404)

#### **Serious eye damage/eye irritation:**

Remarks: Mixture causes serious eye damage. Risk of blindness!  
Eyes – Rabbit Result: Causes serious eye damage. Remarks: (ECHA)

#### **Respiratory or skin sensitization:**

May cause an allergic skin reaction. Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406)

#### **Germ cell mutagenicity:**

Test Type: Ames test. Test system: Salmonella typhimurium. Result: positive  
Test Type: In vitro mammalian cell gene mutation test. Test system: mouse lymphoma cells  
Result: positive.  
Test Type: Ames test Test system: Salmonella typhimurium. Result: Positive results were obtained in some in vitro tests.  
Test Type: UDS (Unscheduled DNA synthesis assay). Test system: rat hepatocytes  
Result: negative.  
Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Result: positive. Method: OECD Test Guideline 475 Species: Mouse - male and female - Bone marrow Result: negative. Method: OECD Test Guideline 486 Species: Rat - male - Liver cells.  
Result: negative.  
Method: US-EPA Species: Mouse - male and female - Bone marrow  
Result: negative.  
Method: US-EPA Species: Rat - male - Liver cells  
Result: negative.  
Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes)  
Result: negative.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

**Carcinogenicity:**

No data available.

**Reproductive toxicity:**

No data available.

**Specific target organ toxicity - single exposure:**

No data available.

**Specific target organ toxicity - repeated exposure:**

No data available.

**Aspiration hazard:**

No data available.

**Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

*Remarks: (ECHA) The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid disodium salt*

**Acute toxicity:**

LD50 Oral - Rat - male and female - 2.800 mg/kg (OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist (Expert judgment)

Dermal: No data available

**Skin corrosion/irritation:** Skin – Rabbit Result: No skin irritation (OECD Test Guideline 404)

**Serious eye damage/eye irritation:** Eyes – Rabbit Result: No eye irritation (OECD Test Guideline 405)

**Respiratory or skin sensitization:** Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

**Germ cell mutagenicity:**

Test Type: Chromosome aberration test in vitro. Test system: Chinese hamster ovary cells.

Metabolic activation: with and without metabolic activation. Result: negative

*Remarks: (ECHA) The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid trisodium salt.*

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation Method: OECD Test G. 476

Result: negative

*The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid trisodium salt*

Test Type: Ames test Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471. Result: negative.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt

Test Type: In vivo micronucleus test. Species: Mouse. Application Route: Oral. Method: OECD Test Guideline 474

**Carcinogenicity:**

No data available

**Reproductive toxicity:**

No data available

**Specific target organ toxicity - single exposure:**

No data available

**Specific target organ toxicity - repeated exposure:**

Inhalation - May cause damage to organs through prolonged or repeated exposure.  
- Respiratory Tract

**Aspiration hazard**

No data available

**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

**11.2 Information on other hazards**

**Endocrine disrupting properties:**

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

**Other information:**

This product contains materials of animal origin and should be considered as potentially capable of transmitting infectious diseases.

**12. Ecological information:**

**12.1 Toxicity**

**Citric acid monohydrate (CAS # 5949-29-1):**

Toxicity to fish LC50 - *Leuciscus idus* (Golden orfe) - 440 - 760 mg/l - 96 h Remarks: (anhydrous substance),(IUCLID)

Toxicity to daphnia and other aquatic invertebrates EC5 - *E.sulcatum* - 485 mg/l - 72 h Remarks: (anhydrous substance - maximum permissible toxic concentration - Lit.)

EC50 - *Daphnia magna* (Water flea) - ca. 120 mg/l - 72 h

Remarks: (anhydrous substance - IUCLID)

Toxicity to algae IC5 - *M.aeruginosa* - 80 mg/l - 8 d



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
✉ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



Remarks: (anhydrous substance - maximum permissible toxic concentration - Lit.)  
Toxicity to bacteria EC5 - Pseudomonas putida - > 10.000 mg/l - 16 h

#### **Kathon CG (CAS # 55965-84-9):**

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout)  
- 0,19 mg/l - 96 h (US-EPA)  
Toxicity to daphnia and other aquatic invertebrates flow-through test LC50 - Daphnia magna (Water flea) - 0,18 mg/l - 48 h (US-EPA)  
Toxicity to bacteria static test EC50 - activated sludge - 4,5 mg/l - 3 h (OECD Test G. 209)  
Toxicity to fish(Chronic toxicity) semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 0,098 mg/l - 35 d (OECD Test Guideline 215)  
Toxicity to daphnia and other aquatic flow-through test NOEC - Daphnia magna (Water flea) - 0,1 mg/l - 21 d invertebrates(Chronic toxicity). (US-EPA)

#### **Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate.

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 140 mg/l - 48 h (DIN 38412)

Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

NOEC - Daphnia magna (Water flea) - 25 mg/l - 21 d

Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Toxicity to algae static test - Pseudokirchneriella subcapitata (green algae) - > 60 mg/l - 72 h (OECD Test Guideline 201)

Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate

Toxicity to bacteria NOEC - activated sludge - > 640 mg/l - 3 h (OECD Test Guideline 209)

Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate

## **12.2 Persistence and degradability**

#### **Citric acid monohydrate (CAS # 5949-29-1):**

Biodegradability Result: 98 % - Readily eliminated from water (OECD Test Guideline 302B)

Remarks: (anhydrous substance) Biochemical Oxygen Demand (BOD) 481 mg/g

Chemical Oxygen Demand (COD) 685 mg/g

Theoretical oxygen demand 686 mg/g Remarks: (Lit.)

**Kathon CG (CAS # 55965-84-9):** No data available



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### **Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

Biodegradability Result: 2 % - Not readily biodegradable.

(OECD Test Guideline 301D)

*Remarks: The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid disodium salt*

### **12.3 Bioaccumulative potential**

#### **Ethylenediaminetetra-acetic acid disodium salt dihydrate (CAS # 5949-29-1):**

Bioaccumulation *Lepomis macrochirus* (Bluegill sunfish) - 28 d at 21 °C - 0,08 mg/l (Edetate disodium dihydrate) Bioconcentration factor (BCF): 1,8 (OECD Test Guideline 305)

*Remarks: The value is given in analogy to the following substances:*

*Ethylenedinitrilotetraacetic acid, Tetrasodium salt*

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

Not determined for this product. PBT: Not applicable, vPvB: Not applicable.

### **12.6 Endocrine disrupting properties:**

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

**12.7 Other adverse effects:** Harmful effect due to pH shift. Discharge into the environment must be avoided.

## **13. Disposal considerations:**

### **13.1 Waste treatment methods**

**Product Waste Disposal:** Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

**Package disposal:** Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

### **13.2 Additional Information**

No further relevant information available.

## **14. Transport information:**

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



- 14.1 UN/ID number:** Not regulated for transportation  
**14.2 UN proper shipping name:** Not regulated for transportation  
**14.3 Transport hazard class(es):** Not regulated for transportation  
**14.4 Packing group:** Not regulated for transportation  
**14.5 Environmental hazards:** Not regulated for transportation  
**14.6 Special precautions for user:** None  
**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable

## 15. Regulatory information:

### 15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

**EU regulations:** This SDS complies with EC Regulations 1907/2006 (REACH and amendments).

**Labelling according to EU guidelines:** The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

### Hazard-determining components of labelling: \* NaN<sub>3</sub>, Kathon CG

*\* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labelling necessary as the total volume of the components of the KIT is under 125 ml.*

### National legislation:

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**Other regulations:** Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## 16. Other information:

<b>Izotop safety rating:</b> Flammability: 0	Code
Health: 1	0=None
Reactivity with	1=Slight
water: 0	2=Caution
Physical contact: 1	3=Severe

**Revision changes:** Revised to include EC 2020/878 amendment to REACH EC 1907/2006

**Document version and issue/revision date:** Revision Date (year/month/day) 2024/04/25

**Description of hazard class and hazard statements from Section 3:**



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1  
Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2  
Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1  
H300 Fatal if swallowed.  
H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H335 May cause respiratory irritation  
H332 Harmful if inhaled.  
H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

#### Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists  
ADR - European Agreement Concerning The International Carriage Of Dangerous Goods By Road  
CLP - Classification, Labeling and Packaging  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO - International Civil Aviation Organization  
IMDG - International Maritime Dangerous Goods  
IOELVs - European Unions' Indicative Occupational Exposure Limit Values  
NIOSH - National Institute for Occupational Safety and Health  
OSHA - Occupational Safety and Health Administration  
PBT - Persistent bioaccumulative and toxic substances  
TDG - Canadian Transportation Of Dangerous Goods Regulations.  
US DOT - United States Department of Transportation  
vPvB - Very persistent and very bioaccumulative substances  
LC50 - Lethal Concentration, 50%  
LD50 - Lethal Dose, 50%



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## MATERIAL SAFETY DATA SHEET

According to EC Directive 1907/2006/EC [REACH] and to Regulation (EC) No 1272/2008 [CLP]

### Wash buffer

#### 1. Identification of the substance/preparation and of the company

##### 1.1 Product identifier:

<b>Product name:</b>	Wash buffer
<b>Product code:</b>	Components of RK-199CT
<b>Product formal name:</b>	Diagnostic reagents

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use**

**Application of the substance/preparation:** For In-vitro Diagnostic Use

##### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:



Institute of Isotopes Co., Ltd.  
Konkoly-Thege Miklós út 29-33  
H-1121 Budapest, Hungary  
Phone number: (36-1) 391-0826  
Fax number: (36-1) 392-2575, 395-9247

**Further information available from:**  
**Email address of the competent person:**

[www.izotop.hu](http://www.izotop.hu)  
[immuno@izotop.hu](mailto:immuno@izotop.hu)

##### 1.4 Emergency telephone number

**Information in case of emergency:**

Health Toxicological Information Service  
+36 80 201 199 (0-24 hours, toll free - only  
from Hungary)  
+36 1 476 6464 (0-24 hours, also from abroad)

#### 2. Hazards identification:

##### 2.1 Classification of the substance or mixture

**Product description:** In vitro diagnostic reagent; Clear, Liquid  
**Classification according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**  
Not classified as hazardous per EC 1272/2008 [CLP].

##### 2.3 Other hazards

**Additional information:** Results of PBT and vPvB assessment:  
PBT: Not applicable.  
vPvB: Not applicable.

**Citric acid monohydrate:** This product contains Citric acid monohydrate. It May cause respiratory and eye irritation.


**Kathon CG:** is a mixture in the ratio 3:1 of 5-chloro-2methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone; CMI) and 2-methyl-4-isothiazolin-3-one (Methylisothiazolinone; MI). This is a toxic substance. Avoid contact with components, which contain Kathon CG, and do not ingest.

See Section 11 Toxicological Information for more detailed health information.

### 3. Composition / Information on ingredients:

#### 3.2 Mixtures

##### Hazardous ingredient(s):

International chemical identification	CAS #	EC no		
Citric acid monohydrate	5949-29-1	201-069-1		
(< 2 % by wt)	<b>Classification</b>		<b>Labelling</b>	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>	<i>Pictogram(s), signal word Code(s)</i>
	Eye Irrit. 2	H319	-	GHS07
	STOT SE 3	H335		
	<b>Signal words</b>		<b>Pictogram(s)</b>	
	Warning		 <b>Irritant</b>	

##### Hazard statements:

H319 Causes serious eye irritation  
H335 May cause respiratory irritation

##### Precautionary statements:

P261 Avoid breathing dust.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear eye protection/ face protection.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.







INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do.  
 Continue rinsing.

Supplemental Hazard Statements: none

<b>International chemical identification</b>	<b>CAS #</b>	<b>EC no</b>	
<b>Kathon CG</b>	55965-84-9	-	
<b>Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)</b>			
	<b>Classification</b>	<b>Labelling</b>	
	<i>Hazard class and Category Code(s)</i>	<i>Hazard statement Code(s)</i>	<i>Supplementary hazard statement Code(s)</i>
	<i>Pictogram(s), signal word Code(s)</i>		
	Acute tox. 3	H301	GHS06 GHS07 GHS09 GHS05Dgr
	Acute tox. 3	H311	
	Skin Corr. 1B	H314	
	Skin Irrit. 2	H315	
	Skin Sens. 1	H317	
	Eye Irrit. 2	H319	
	Acute Tox. 3	H331	
	Aquatic Acute 1	H400	
	Aquatic Chronic 1	H410	
	<b>Signal words</b>	<b>Pictogram(s)</b>	
	Danger		
		<b>Skull and crossbones</b>	<b>Irritant</b>
			
		<b>Environment</b>	<b>Corrosion</b>



---

## Hazardous statements:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## Precautionary statements:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements:	none

## 4. First Aid:

### 4.1 Description of first aid measures

<b>After inhalation:</b>	Remove victim to fresh air. If breath laboured, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.
<b>After eye contact:</b>	If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. Immediately call in ophthalmologist. Remove contact lenses.
<b>After skin contact:</b>	In case of skin contact, remove any contaminated clothing. Wash affected area with plenty of soap and water for at least 15 minutes. If pain or irritation occur, obtain medical attention.
<b>After swallowing:</b>	After swallowing: immediately make victim drink water (two glasses at most). Avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. Consult a physician.
<b>General information:</b>	If ingested, or in case of feeling unwell, seek medical advice urgently.

### 4.2 Most important symptoms and effects, both acute and delayed

No adverse symptoms or effects have been identified.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available



## 5. Fire extinguishing measures:

**5.1 Extinguishing media:** In case of fire use carbon dioxide (CO<sub>2</sub>), dry chemical, water spray or foam. For large fires use extinguishing media suitable for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

**Special fire and explosion hazards:** No special hazards determined.

**Hazardous combustion products:** No combustion products posing significant hazards are expected from this product (an aqueous solution).

**5.3 Advice for firefighters:** Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

**5.4 Additional information:** No further relevant information available.

## 6. Accidental release measures:

### 6.1 Personal precaution, protective equipment and emergency procedures

**Personal Precautions:** Wear protective gloves, protective clothing and eye/face protection.

### 6.2 Environmental Precautions

Contain spill to prevent migration. Place absorbed material in container suitable for disposal. Do not allow the undiluted product to enter sewers/surface or ground water. Dispose of all waste material in accordance with local and facility guidelines.

### 6.3 Methods and material for containment and cleaning-up

**Spill and Leak Procedures:** Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Dispose of all waste material in accordance with local guidelines.

### 6.4 Reference to other sections

Refer sections 8 and 13.

## 7. Handling and storage:

**7.1 Precautions for safe handling:** Universal precautions should be followed when using this product. Wear suitable personal protective equipment. Avoid splashing. Use the reagent in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or apply cosmetics in laboratory areas.

**7.2 Conditions for safe storage, including any incompatibilities:** Store at 2 to 8°C, as directed on the product label. To maintain product quality, store according to the instructions in the product labeling. Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10). No metal containers.

**7.3 Specific end uses:** No further relevant information available.

## 8. Exposure controls/personal protection:

### 8.1 Control parameters:

No data available.

### 8.2 Exposure controls

<b>Engineering Controls</b>	No special engineering controls are required. Use with good general ventilation.
<b>Eye Protection</b>	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
<b>Skin Protection</b>	Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin contact. Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate government standards.
<b>Respiratory Protection</b>	Under normal conditions, the use of this product should not require respiratory protection.

## 9. Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Transparency</b>	clear
<b>Colour</b>	clear	<b>Decomposition Temperature</b>	not applicable
<b>Odour</b>	odourless	<b>pH</b>	2.5 – 3.5
<b>Freezing point</b>	0 °C	<b>Kinematic viscosity</b>	not determined
<b>Boiling point</b>	100 °C	<b>Solubility in water</b>	complete
<b>Flammability</b>	not applicable	<b>Solubility in organic</b>	not determined
<b>Lower and upper explosion limit</b>	not applicable	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Flash Point</b>	not applicable	<b>Vapour pressure</b>	not applicable
<b>Autoignition Temp.</b>	not applicable	<b>Density and/or relative density</b>	1.00 @20°C



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 9.2 Other information:

No further relevant information available.

## 10. Stability and reactivity:

- 10.1 Reactivity:** No data available.
- 10.2 Chemical Stability:** This product is stable in accordance with recommended storage conditions.
- 10.3 Possibility of hazardous reactions:** No data available.
- 10.4 Conditions to avoid:** Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.
- 10.5 Incompatible materials:** Oxidizing agents, Amines, Reducing agents, Mercaptans, Strong oxidizing agents, Metals.
- 10.6 Hazardous decomposition products:** No decomposition products posing significant hazards would be expected from these product (aqueous solutions).

## 11. Toxicological information:

### 11.1 Information on hazard classes

#### Toxicity data for hazardous ingredients - Citric acid monohydrate (CAS # 5949-29-1):

##### Acute toxicity:

LD50 Oral - Mouse - male and female - 5.400 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

LD50 Oral - Rat - male - 11.700 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

Symptoms: In high doses:, Irritation of mucous membranes, Pain, Bloody vomiting

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Remarks: (anhydrous substance)

##### Skin corrosion/irritation:

Skin – Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: (anhydrous substance)

##### Serious eye damage/eye irritation:

Eyes – Rabbit Result: Severe irritations (OECD Test Guideline 405)

Remarks: (anhydrous substance)

##### Respiratory or skin sensitization:



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

**Germ cell mutagenicity:**

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative  
Remarks: (anhydrous substance)

Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 475 Result: negative  
Remarks: (anhydrous substance)

**Carcinogenicity:** No data available

**Reproductive toxicity:** No data available

**Specific target organ toxicity - single exposure:**

Inhalation - May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure:**

Oral - May cause damage to organs through prolonged or repeated exposure – Brain

**Aspiration hazard:** No data available

**Toxicity data for hazardous ingredients – Kathon CG (CAS # 55965-84-9):**

**Acute toxicity:**

LD50 Oral - Rat - male and female - 66 mg/kg (OECD Test Guideline 401)  
LC50 Inhalation - Rat - male and female - 4 h - 0,171 mg/l – aerosol (OECD Test G. 403)  
LD50 Dermal - Rabbit - male - 87,12 mg/kg

**Skin corrosion/irritation:**

Skin – Rabbit Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. (OECD Test Guideline 404)

**Serious eye damage/eye irritation:**

Remarks: Mixture causes serious eye damage. Risk of blindness!  
Eyes – Rabbit Result: Causes serious eye damage. Remarks: (ECHA)

**Respiratory or skin sensitization:**

May cause an allergic skin reaction. Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406)

**Germ cell mutagenicity:**

Test Type: Ames test. Test system: Salmonella typhimurium. Result: positive  
Test Type: In vitro mammalian cell gene mutation test. Test system: mouse lymphoma cells  
Result: positive.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



Test Type: Ames test Test system: Salmonella typhimurium. Result: Positive results were obtained in some in vitro tests.

Test Type: UDS (Unscheduled DNA synthesis assay). Test system: rat hepatocytes  
Result: negative.

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Result: positive. Method: OECD Test Guideline 475 Species: Mouse - male and female - Bone marrow Result: negative. Method: OECD Test Guideline 486 Species: Rat - male - Liver cells.

Result: negative.

Method: US-EPA Species: Mouse - male and female - Bone marrow

Result: negative.

Method: US-EPA Species: Rat - male - Liver cells

Result: negative.

Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative.

#### **Carcinogenicity:**

No data available.

#### **Reproductive toxicity:**

No data available.

#### **Specific target organ toxicity - single exposure:**

No data available.

#### **Specific target organ toxicity - repeated exposure:**

No data available.

#### **Aspiration hazard:**

No data available.

**Primary routes of exposure** Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

### **11.2 Information on other hazards**

#### **Endocrine disrupting properties:**

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

#### **Other information:**

No further relevant information available.



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



## 12. Ecological information:

### 12.1 Toxicity

#### **Citric acid monohydrate (CAS # 5949-29-1):**

Toxicity to fish LC50 - *Leuciscus idus* (Golden orfe) - 440 - 760 mg/l - 96 h Remarks: (anhydrous substance),(IUCLID)

Toxicity to daphnia and other aquatic invertebrates EC5 - *E.sulcatum* - 485 mg/l - 72 h Remarks: (anhydrous substance - maximum permissible toxic concentration - Lit.)

EC50 - *Daphnia magna* (Water flea) - ca. 120 mg/l - 72 h

Remarks: (anhydrous substance - IUCLID)

Toxicity to algae IC5 - *M.aeruginosa* - 80 mg/l - 8 d

Remarks: (anhydrous substance - maximum permissible toxic concentration - Lit.)

Toxicity to bacteria EC5 - *Pseudomonas putida* - > 10.000 mg/l - 16 h

#### **Kathon CG (CAS # 55965-84-9):**

Toxicity to fish flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 0,19 mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates flow-through test LC50 - *Daphnia magna* (Water flea) - 0,18 mg/l - 48 h (US-EPA)

Toxicity to bacteria static test EC50 - activated sludge - 4,5 mg/l - 3 h (OECD Test G. 209)

Toxicity to fish(Chronic toxicity) semi-static test NOEC - *Oncorhynchus mykiss* (rainbow trout) - 0,098 mg/l - 35 d (OECD Test Guideline 215)

Toxicity to daphnia and other aquatic flow-through test NOEC - *Daphnia magna* (Water flea) - 0,1 mg/l - 21 d invertebrates(Chronic toxicity). (US-EPA)

### 12.2 Persistence and degradability

#### **Citric acid monohydrate (CAS # 5949-29-1):**

Biodegradability Result: 98 % - Readily eliminated from water (OECD Test Guideline 302B)

Remarks: (anhydrous substance) Biochemical Oxygen Demand (BOD) 481 mg/g

Chemical Oxygen Demand (COD) 685 mg/g

Theoretical oxygen demand 686 mg/g Remarks: (Lit.)

**Kathon CG (CAS # 55965-84-9):** No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Not determined for this product. PBT: Not applicable, vPvB: Not applicable.

### 12.6 Endocrine disrupting properties:

This product does not have substance(s) of endocrine disrupting properties for



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

environment according to REACH Article 57(f).

**12.7 Other adverse effects:** Harmful effect due to pH shift. Discharge into the environment must be avoided.

## 13. Disposal considerations:

### 13.1 Waste treatment methods

**Product Waste Disposal:** Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

**Package disposal:** Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

### 13.2 Additional Information

No further relevant information available.

## 14. Transport information:

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

**14.1 UN/ID number:** Not regulated for transportation

**14.2 UN proper shipping name:** Not regulated for transportation

**14.3 Transport hazard class(es):** Not regulated for transportation

**14.4 Packing group:** Not regulated for transportation

**14.5 Environmental hazards:** Not regulated for transportation

**14.6 Special precautions for user:** None

**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable

## 15. Regulatory information:

**15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture**

**EU regulations:** This SDS complies with EC Regulations 1907/2006 (REACH and amendments).

**Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Harmonised classification



INSTITUTE OF ISOTOPES CO. LTD.  
 H-1121 Budapest, Konkoly-Thege M. út 29-33.  
 ☒ H-1535 Budapest, P.O.B. 851 Hungary  
 Phone: +36 1 3910826  
 Fax: +36 1 3922575  
 www.izotop.hu  
 izotop@izotop.hu



- Annex VI of Regulation (EC) No 1272/2008  
 (CLP Regulation)

**Hazard-determining components of labelling:** \* NaN<sub>3</sub>, Kathon CG

*\* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labelling necessary as the total volume of the components of the KIT is under 125 ml.*

**National legislation:**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**Other regulations:** Take note of Dir 94/33/EC on the protection of young people at work.

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

**16. Other information:**

<b>Izotop safety rating:</b>	Flammability: 0	Code
	Health: 1	0=None
	Reactivity with water: 0	1=Slight
	Physical contact: 1	2=Caution
		3=Severe

**Revision changes:** Revised to include EC 2020/878 amendment to REACH EC 1907/2006

**Document version and issue/revision date:** Revision Date (year/month/day) 2024/04/25

**Description of hazard class and hazard statements from Section 3:**

- Aquatic Acute 1 - Aquatic Hazard Acute, Category 1
- Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2
- Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H335 May cause respiratory irritation



INSTITUTE OF ISOTOPES CO. LTD.  
H-1121 Budapest, Konkoly-Thege M. út 29-33.  
☒ H-1535 Budapest, P.O.B. 851 Hungary  
Phone: +36 1 3910826  
Fax: +36 1 3922575  
www.izotop.hu  
izotop@izotop.hu



---

### Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists  
ADR - European Agreement Concerning The International Carriage Of Dangerous Goods By Road  
CLP - Classification, Labeling and Packaging  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO - International Civil Aviation Organization  
IMDG - International Maritime Dangerous Goods  
IOELVs - European Unions' Indicative Occupational Exposure Limit Values  
NIOSH - National Institute for Occupational Safety and Health  
OSHA - Occupational Safety and Health Administration  
PBT - Persistent bioaccumulative and toxic substances  
TDG - Canadian Transportation Of Dangerous Goods Regulations.  
US DOT - United States Department of Transportation  
vPvB - Very persistent and very bioaccumulative substances  
LC50 - Lethal Concentration, 50%  
LD50 - Lethal Dose, 50%